



NOTES:

1. ALL WALKWAY SURFACES SHALL NOT EXCEED 5% LONGITUDINAL SLOPE AND SHALL HAVE A MINIMUM OF 1% BUT NOT TO EXCEED 2% CROSS SLOPE.
2. ALL SURFACES, SEATING AREAS AND TRANSITIONS AREA SHALL NOT EXCEED 2% SLOPE IN ANY DIRECTION.
3. VERTICAL DIFFERENCES BETWEEN ABUTTING SURFACES SHALL NOT EXCEED 1/2" HEIGHT AND 1/2" WIDTH PER ADA REQUIREMENTS.

4. UNIVERSAL ACCESSIBLE SITE FURNISHINGS TO BE SELECTED AT THE TIME OF CONSTRUCTION DRAWINGS (PICNIC TABLES, BENCHES, DRINKING FOUNTAIN, BIKE RACKS, ETC).
5. TREE SELECTIONS TO BE MADE FOR CONSTRUCTION DRAWINGS, TAKING INTO ACCOUNT OVERHEAD CLEARANCE, POTENTIAL DEBRIS AND GROWTH PATTERNS.
6. MODIFICATIONS TO THE EXISTING PLAY AREA TO INCREASE UNIVERSAL ACCESSIBILITY TO BE CONSIDERED. A PRIORITY WILL BE

7. A POTENTIAL MINIMUM 6' WIDE CONCRETE WALK AROUND THE PERIMETER OF THE PARK WILL BE CONSIDERED IN THE FUTURE AS OTHER FACILITIES ARE COMPLETED AND SITE AND LAND SPACE ALLOWS.

DRAWING ISSUE	
1	OCT. 26, 2020
2	FEB. 11, 2021
3	FEB. 18, 2021
4	MAR. 19, 2021